



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/492,382	01/27/2000	Tetsuro Ashida	0879-0249P	9804
2292	7590 07/14/2005		EXAMINER	
	WART KOLASCH &	VILLECCO, JOHN M		
PO BOX 747 FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
	,		2612	
			DATE MAILED: 07/14/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		09/492,382	ASHIDA, TETSURO				
		Examiner	Art Unit				
		John M. Villecco	2612				
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with th	e correspondence address				
THE - Exte after - If the - If NC - Failt Any	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period we are to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	66(a). In no event, however, may a reply be within the statutory minimum of thirty (30) ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDO	e timely filed days will be considered timely. rom the mailing date of this communication. DNED (35 U.S.C. § 133).				
Status							
1)⊠	Responsive to communication(s) filed on <u>13 April 2005</u> .						
2a) <u></u> ☐	This action is FINAL . 2b)⊠ This action is non-final.						
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
4)⊠	4)⊠ Claim(s) <u>1-7</u> is/are pending in the application.						
•	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)□	Claim(s) is/are allowed.						
6)⊠	Claim(s) <u>1-7</u> is/are rejected. Claim(s) is/are objected to.						
7)							
8)[
Applicat	ion Papers						
9)[9) The specification is objected to by the Examiner.						
10)⊠	☑ The drawing(s) filed on <u>27 January 2000</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority (under 35 U.S.C. § 119						
12)🖂	Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119	(a)-(d) or (f).				
a)⊠ All b)□ Some * c)□ None of:							
1.⊠ Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
	application from the International Bureau	(PCT Rule 17.2(a)).					
* 5	See the attached detailed Office action for a list of	of the certified copies not recei	ived.				
A44- 1	Was .						
Attachment	t(s) e of References Cited (PTO-892)	4) 🔲 Interview Summa	PTO-413)				
2) Notic	e of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail	Date				
	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	5) Notice of Informa 6) Other:	al Patent Application (PTO-152)				
rape	110(0)/Wall Date	J) [Outer					

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on April 13, 2005 has been entered.

Response to Arguments

With regard to claim 1, applicant argues that the combination of Moorman and Ueno is improper. More specifically, applicant argues that the combination of Moorman and Ueno fails to specifically disclose a luminance range designating device that designates one of the gradation areas to use for exposure correction. However, the examiner continues to maintain the fact that the combination of Moorman and Ueno is proper. Moorman discloses the ability to show a photographer exposure gradations within and image. Thus, Moorman is capable of showing different gradations and how well they are exposed. A user is able to make a determination as to how well an image is exposed and can make adjustments based on the output (col. 1, lines 45-60). Ueno teaches the ability to select an area within an image for which to perform exposure control. In Ueno, a user is able to select the subject or any one of the background objects. See Figures 16 and 17. Thus, when used in combination it would have been obvious to one of ordinary skill in the art to select an area within the gradation image of Moorman to perform

exposure correction so that the user may effect the exposure correction on any of the divided areas to their liking. Thus, it is deemed that the combination of Moorman and Ueno is proper and the rejection of claim 1, from the previous office action will be maintained.

- 3. Additionally, applicant argues on page 9 of the response that additional processing would be necessary in Ueno to perform the exposure correction. However, clearly, when one selects a gradation area within the applicant's own invention, additional processing would also be necessary in order to perform the exposure correction.
- 4. Furthermore with regard to claim 1, applicant argues that since Moorman is directed towards only displaying the exposure of individual pixel values and Ueno is used for performing a pre-shot image display and exposure correction, the combination is improper. However, Moorman is directed towards giving a user visual feedback on the exposure values of all of pixels in a captured image. Once this feedback is given the user is given the ability to make changes to the image capturing parameters in order to correct the captured image (col. 1, lines 45-60). In this manner, a first image capture by Moorman can be interpreted to be a pre-shot image. Furthermore, the camera disclose in Moorman is obviously not directed towards capturing a final image. Moorman is merely used to show the different gradations of exposure within an image and then allowing a user to make corrections.
- 5. With regard to claim 3, applicant argues that the examiner has provided poor motivation for the combination of Moorman, Ueno, and Takanashi. More specifically, applicant argues that the processing of an image to display only image contours would cause the camera to perform more processing, not less. However, Takanashi specifically discloses in column 14, lines 61-68, that less processing load would be required in displaying the image. Thus, the motivation for

Application/Control Number: 09/492,382 Page 4

Art Unit: 2612

displaying only image contours since there would be less display processing required is explicitly taught by Takanashi. Therefore, the rejection from the previous office action will be repeated.

6. As for claim 4, applicant argues that Kadowaki fails to explicitly disclose that the luminance range designating device is constructed in such a manner as to select one color from color samples displayed on a screen of the image display unit. However, as mentioned in the previous office action Moorman discloses the ability to select a range of colors for each of the designated luminance ranges. See column 4. However, Moorman does not disclose selecting the colors by selecting from a color pallet. Kadowaki, on the other hand, discloses that it is well known in the art to select a color for a certain part of an image from a color pallet. Since Kadowaki, was used only for teaching the selecting of a color from a color pallet on a display, the combination is deemed proper. Thus, the rejection from the previous office action will be repeated.

Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. <u>Claims 1, 2, 6, and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over</u>

 Moorman (U.S. Patent No. 5,041,911) in view of Ueno et al. (U.S. Patent No. 5,625,415).

Application/Control Number: 09/492,382

Art Unit: 2612

Regarding *claim 1*, Moorman discloses an exposure information feedback apparatus capable of informing the user of different levels of exposure within an image. More specifically, the apparatus is a camera (30) which includes a lens (31), an image sensor (12), and a display (46) for displaying the image captured by the image sensor (12). Before an imaging operation, the user selects or enters a plurality of range values to map to the image based on the pixel exposure value (interpreted to be the luminance). The digital signal processor (40) acts as both the gradation area dividing device and the color-coding device since the input digital code values (luminance values) are mapped into RGB output code values (col. 3, lines 60-68). Clearly the image is divided into areas of gradation coarser than gradations in the image-capturing, since the gradation in the image-capturing are based on individual pixel signals. See column 4, lines 1-68. After dividing the image into the gradation levels the color-coded image is displayed on the display device (46, col. 4, line 68). Furthermore, Moorman discloses that the image signals are stored in the recording device (42).

Moorman however fails to explicitly state that the system is able to select a gradation area and correct the image data or the exposure control based on the selected gradation area. Ueno, on the other hand, discloses the ability to select a portion of an image for which to base an exposure calculating operation on. Ueno teaches the ability to perform a pre-shooting operation to form a pre-shot image on the display. See Figures 7 and 8. The user then has the ability to select an area of the pre-shot image for which to base an exposure value on. The brightness of the area indication (700) is used to calculate a new stop value and shutter speed. By allowing the user to select an area of an image for which to base an exposure on, the system has to ability to form an image of a subject of the users liking using a proper exposure. See column 13, line 27 to

Art Unit: 2612

column 14, line 48. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to allow a user of the camera of Moorman to select an area of the color-coded image for which to perform a proper exposure so that the user can compose an image with a proper exposure based upon the selected gradation level.

Additionally, neither Moorman nor Ueno specifically disclose a photometry device for determining the luminance of an image and performing auto exposure (AE) based on the luminance for the first exposure. While Ueno does disclose that a pre-shot (first exposure) is taken, he only discloses that the pre-shot is performed using initial data (col. 11, lines 33-34). He does not disclose how the pre-shot data is obtained. However, Official Notice is taken as to the fact that it is well known in the art to use a photometric device to perform AE based on a luminance of a subject when an image signal has not yet been taken. By using a photometric device the system does not have to take an image of an object to determine an AE value. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a photometric device to determine a luminance for an initial image capture since an image has not yet been capture for which to calculate an exposure value.

- 10. As for *claim 2*, as shown in the two tables in column 4 of Moorman, the digital signal processor (40) gives different color values to the different gradation areas.
- 11. Claim 6 is considered a method claim corresponding to claim 1. Please see the discussion of claim 1 on the preceding pages.
- 12. Claim 7 is considered substantively equivalent to claim 1. Please see the discussion of claim 1 on the preceding pages.

Application/Control Number: 09/492,382 Page 7

Art Unit: 2612

13. <u>Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Moorman</u>

(U.S. Patent No. 5,041,911) in view of Ueno et al. (U.S. Patent No. 5,625,415) and further in view of Takanashi et al. (U.S. Patent No. 6,313,923).

- 14. With regard to *claim 3*, as mentioned above in the discussion of claim 1, both Moorman and Ueno disclose all of the limitations of the parent claim. However, neither of the aforementioned references discloses a contour sampling device that samples a contour of the subject or that the monitor displays the gradation areas and the contours. Takanashi, on the other hand, discloses that it is well known in the art to display only contours when image processing is not important. As disclosed in column 14, lines 56-67, when an image on a display is being rotated only the contours of the image are displayed. He does this because image processing is not necessary and therefore, the processing load can be reduced. Similarly, the imaging operation of Moorman would not require that the image be displayed. The only important aspect of Moorman is the displaying of colors based on the luminance values. Therefore, it would have been obvious to only display the contours of the image in Moorman so that image processing does not have to be performed, thus reducing the display processing load.
- 15. <u>Claims 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over</u>

 <u>Moorman (U.S. Patent No. 5,041,911) in view of Ueno et al. (U.S. Patent No. 5,625,415) and</u>

 <u>further in view Kadowaki (Japanese Publ. No. 08-202325 A).</u>
- Regarding *claim 4*, as mentioned above in the discussion of claim 1, both Moorman and Ueno disclose all of the limitations of the parent claim. Moorman teaches that a range for the luminance values can designated by the user by inputting upper and lower code values numbers

Application/Control Number: 09/492,382

Art Unit: 2612

and correlates to a gradation color as shown in column 4, lines 1-17. However, neither of the aforementioned references discloses that the luminance range designating device allows a user to select one color from color samples displayed on a screen of the image display unit. Kadowaki, on the other hand, discloses that it is well known in the art to allow a user to select a color sample displayed on a monitor in order to perform an operation. As shown in Figure 3, the display device (29) allows a user to select an area and change the color of a region (31) in an image based on selected color samples (51). Allowing a user to select a color sample displayed on the monitor provides for ease of use. By incorporating the teaches of Kadowaki with the teachings of Moorman, it would have been obvious to one of ordinary skill in the art at the time the invention was made to allow a user to select a color to associate with a range of luminance values using color samples so that the operation of the device can be made easier.

- 17. Claim 5 is considered substantively equivalent to claim 4. Please see the discussion of claim 4 above.
- 18. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
 - Sato (U.S. Patent No. 6,765,618) discloses the ability to selected different subjects within an image to perform exposure control.
 - Omata et al. (U.S. Patent No. 5,877,809) discloses a camera capable of selecting different areas within an image for performing focus control

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John M. Villecco whose telephone number is (571) 272-7319. The examiner can normally be reached on Monday-Friday.

Application/Control Number: 09/492,382

Art Unit: 2612

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on (571) 272-7308. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

July 10, 2005